

PASSENGER CAR, SUV AND LIGHT TRUCK

GOODRIDE®



AMERICAN TIRE DISTRIBUTORS®

GOODRIDE®

**NEW
2014**

This premium performance tire has four wide circumference grooves ensuring quick and efficient water evacuation for enhanced wet traction. A rim protector safeguards the wheel rim and Silca Tech technology ensures better tire performance.

Features and Benefits:

- Premium performance tires for sedans and race cars
- Silca Tech adopted for low rolling resistance and low noise
- Rim protector protects the wheel rim and provides superior handling control and enhanced cornering



Comfortable



Braking



Drainage



Silca

SA07

Product Code	Item Number	UPC	Size	Load Index	Speed Rating	UTQG	Tread Depth 32 ^{nds}	Standard Rim	Tread Width Inches	Overall Diameter Inches	Max Load (lbs)	Max Air Pressure (PSI)	Weight (lbs)
187000346	GRC0251	06927116196783	205/55R16	91	V	460AA	10.4	7.0J	8.4	24.89	1356	44	21.08
187000349	GRC0336	06927116196769	215/55R16	93	V	460AA	11.1	7.0J	8.9	25.3	1609	44	22.1
187000342	GRC0342	06927116196745	225/55R16	95	W	460AA	11.1	7.0J	9.2	25.8	1521	44	24.3
187000353	GRC0252	06927116196707	245/40R17	95	W	460AA	10.4	8.5J	9.8	24.73	1521	51	23.49
187000347	GRC0253	06927116196684	215/45R17	91	W	460AA	10.4	7.0J	8.4	24.65	1356	51	21.58
187000340	GRC0254	06927116196677	225/45R17	94	W	460AA	10.4	7.5J	8.9	24.97	1477	51	22.45
187000344	GRC0255	06927116196660	235/45R17	97	W	460AA	10.4	8.0J	9.3	25.36	1609	51	24.33
187000355	GRC0256	06927116196653	245/45R17	95	Y	460AA	10.4	8.0J	9.6	25.67	1521	44	25.95
187000345	GRC0258	06927116196639	205/50R17	89	W	460AA	10.4	6.5J	8.4	25.12	1279	44	22.55
187000348	GRC0259	06927116196622	215/50R17	91	W	460AA	10.4	7.0J	8.9	25.52	1356	44	23.22
187000341	GRC0341	06927116196615	225/50R17	94	W	460AA	11.1	7.0J	9.2	25.9	1477	44	24.3
187000350	GRC0339	06927116196592	215/55R17	94	V	460AA	11.1	7.0J	8.9	26.3	1477	44	24.3
187000343	GRC0260	06927116196585	225/55R17	97	W	460AA	10.4	7.0J	9.2	26.78	1609	44	25.15
187000352	GRC0261	06927116196578	235/55R17	99	W	460AA	10.4	7.5J	9.7	27.17	1709	44	28.33
187000351	GRC0262	06927116196509	225/40R18	92	W	460AA	10.4	8.0J	9.1	25.08	1389	51	23.14
187000360	GRC0333	06927116196493	235/40R18	95	W	460AA	10.4	8.5J	9.5	25.4	1521	51	24.26
187000354	GRC0263	06927116196486	245/40R18	97	Y	460AA	10.4	8.5J	9.8	25.71	1609	51	24.61
187000362	GRC0338	06927116196479	215/45R18	89	W	460AA	10.4	7.0J	8.4	25.63	1279	44	24.26
187000363	GRC0340	06927116196462	225/45R18	95	W	460AA	10.4	7.5J	8.9	25.95	1521	51	24.26
187000359	GRC0264	06927116196455	235/45R18	94	Y	460AA	10.4	8.0J	9.3	26.34	1477	44	25.46
187000356	GRC0265	06927116196448	245/45R18	96	Y	460AA	10.4	8.0J	9.7	26.66	1565	44	27.14
187000369	GRC0334	06927116196431	235/50R18	101	W	460AA	10.4	7.5J	9.7	27.3	1819	51	28.7
187000357	GRC0266	06927116196424	245/50R18	100	Y	460AA	10.4	7.5J	9.7	27.68	1764	44	29.92
187000364	GRC0343	06927116196356	235/35R19	91	W	460AA	10.4	8.5J	9.5	25.48	1356	51	24.26
187000365	GRC0344	06927116196349	245/35R19	93	W	460AA	10.4	8.5J	9.8	25.79	1433	51	26.46
187000368	GRC0347	06927116196332	255/35R19	96	W	460AA	10.4	9.0J	10.2	26.03	1565	51	26.46
187000367	GRC0346	06927116196325	245/40R19	94	Y	460AA	10.4	8.5J	9.8	26.74	1477	44	28.67
187000358	GRC0267	06927116196318	255/40R19	100	W	460AA	10.4	9.0J	10.0	27.05	1764	51	29.29
187000366	GRC0345	06927116196301	245/35R20	95	W	460AA	10.4	8.5J	9.8	26.78	1521	51	28.67
187000361	GRC0335	06927116196295	265/50R20	111	V	460AA	10.4	8.5J	10.9	30.48	2403	51	35.28

GOODRIDE®



This high performance tire offers an irregular and multi-pitch pattern design effectively reducing road noise. Its application of slender bladed sipes provides more steering traction in cornering, as well as the solid long rib pattern improving high speed stability. This combination prevents irregular wear and provides all occupants with optimal ride comfort. AN elegant design of the tread and side wall make the tire sporty and current.

Features and Benefits:

- Perfect balance of high performance and value
- All-season, comfortable ride with long tread life and excellent performance
- Stable on-center feel and outstanding wet traction during cornering
- Improved shoulder sipes to combat uneven wearing



Silent



Comfortable



Braking



Efficiency

SP06

Product Code	Item Number	UPC	Size	Load Index	Speed Rating	UTQG	Tread Depth 32 ^{nds}	Standard Rim	Tread Width Inches	Overall Diameter Inches	Max Load (lbs)	Max Air Pressure (PSI)	Weight (lbs)
187000135	GRC0145	04086011140924	155/80R13	79	T	460AA	9.4	4.5B	6.1	22.80	963	44	14.3
187000249	GRC0142	00408101114092	165/70R13	79	T	460AA	9.4	5.0B	6.5	22.1	963	43	14.16
187000114	GRC0101	04075011140928	175/70R13	82	T	460AA	9.4	5.0B	7	22.7	1047	44	15.75
187000139	GRC0148	04067011140923	185/70R13	86	T	440AB	9.8	5.5B	7.28	23.20	1168	44	17.11
187000113	GRC0102	04076010340920	175/65R14	82	H	460AA	9.4	5.0J	7	23	1047	44	16.41
187000130	GRC0134	04074011140921	175/70R14	84	T	460AA	9.4	5.0J	6.89	23.6	1102	44	16.61
187000115	GRC0109	04071010340925	185/60R14	82	H	460AA	10.1	6.0J	7.4	22.8	1047	36	17
187000034	GRC0088	04069010340922	185/65R14	86	H	460AA	9.8	5.0J	7.28	23.5	1168	44	18.7
187000127	GRC0132	04066011140926	185/70R14	88	T	480AA	9.8	5.0J	7.28	24.2	1235	44	7.91
187000126	GRC0117	04062010340923	195/60R14	86	H	480AA	9.8	6.0J	7.68	23.2	1168	44	20.2
187000137	GRC0118	04059011140928	195/70R14	91	T	480AA	9.8	6.0J	7.68	24.80	1356	44	19.19
187000133	GRC0136	04051011140922	205/70R14	95	T	500AB	10.1	6.0J	8.07	25.3	1520	44	21
187000125	GRC0116	04070010340928	185/60R15	84	H	500AA	9.8	5.5J	7.68	23.2	1102	44	21.01
187000122	GRC0096	04068010340925	185/65R15	88	H	480AA	9.8	5.5J	7.4	24.4	1234	44	18.23
187000038	GRC0089	04261010640921	195/55R15	85	V	360AA	10.1	6.0J	7.68	23.4	1136	36	19.56
187000043	GRC0090	04061010340926	195/60R15	88	H	360AA	10.1	5.5J	7.68	24.2	1235	36	20.59
187000047	GRC0091	04060010340929	195/65R15	91	H	500AA	10.1	6.0J	7.68	25	1356	36	21.31
187000091	GRC0092	04053010340921	205/60R15	91	H	500AA	10.1	6.0J	8.07	24.7	1356	44	21.87
187000116	GRC0093	04052010340924	205/65R15	94	H	500AA	10.1	6.0J	8.2	25.5	1477	44	22.16
187000129	GRC0119	04251010340921	205/70R15	96	H	500AA	10.1	6.0J	8.07	26.3	1565	44	23
187000124	GRC0100	04043010340922	215/70R15	98	H	500AA	10.3	6.5J	8.46	26.8	1653	44	24
187000141	GRC0197	04300010351328	205/55R16	91	H	360AA	10.1	6.5J	8.07	24.90	1355	43	9.93
187000112	GRC0105	04328010340920	205/60R16	92	H	500AA	10.1	6.0J	8.07	25.7	1388	44	20
187000136	GRC0137	04044010340929	215/60R16	95	H	500AA	10.2	6.0J	8.46	26.20	1521	44	26.57
187000128	GRC0120	04037010340921	225/60R16	98	H	500AA	10.3	6.5J	8.86	26.6	1653	44	25.02

GOODRIDE®

This all-season tire has a streamlined pattern design and V-groove supplemental with two-wide longitudinal grooves for drainage and rim protector on the sidewall. The tire provides excellent handling performance and high-speed stability in multiple driving conditions. Adoption of silicon dioxide technology substituted for the traditional carbon black reduces rolling resistance, increases traction and shortens braking distance for safer driving.

Features and Benefits:

- Reduced rolling resistance
- Semi-continuous sipes reduce noise in high speed driving
- Shortened braking distance



Silica



Mileage



Directional



Wet Traction



SV308

Product Code	Item Number	UPC	Size	Load Index	Speed Rating	UTQG	Tread Depth 32 ^{nds}	Standard Rim	Tread Width Inches	Overall Diameter Inches	Max Load (lbs)	Max Air Pressure (PSI)	Weight (lbs)
187000177	GRC0151	04334010649925	185/55R15	82	V	360AA	9.8	6.0J	7.28	23	1045	51	18.36
187000238	GRC0166	00433901104992	225/50R16	92	W	360AA	10.1	7.0J	8.86	24.9	1386	51	24.8
187000178	GRC0156	04429011049925	205/45R17	88	W	360AA	10.1	7.0J	8.07	24.3	1232	52	20.6
187000223	GRC0158	00434001104992	205/50R17	93	W	360AA	10.1	6.5J	8.4	25.1	1430	51	22
187000222	GRC0161	00424101104992	215/45R17	91	W	360AA	10.1	7.0J	8.46	24.6	1353	51	22
187000176	GRC0165	04296011049923	225/45R17	94	W	360AA	10.3	7.5J	8.86	25	1474	51	23.2
187000233	GRC0198	0436401104992	225/40R18	92	W	360AA	10.1	8.0J	9.06	25.08	1388	50	10.68
187000212	GRC0170	04352011049926	235/40R18	95	W	360AA	10.1	8.5J	9.5	25.4	1518	51	23.87
187000282	GRC0245	00442201034992	305/35R24	112	H	460AA	10.1	11.0J	12.32	32.44	2464	44	47.77



H600

Product Code	Item Number	UPC	Size	Load Index	Speed Rating	UTQG	Tread Depth 32 ^{nds}	Standard Rim	Tread Width Inches	Overall Diameter Inches	Max Load (lbs)	Max Air Pressure (PSI)	Weight (lbs)
187000023	GRC0031	08886459512958	205/55R15	88	V	360AA	10.7	6.5J	8.07	23.9	1234	36	20



SL305

Product Code	Item Number	UPC	Size	Load Index	Speed Rating	UTQG	Tread Depth 32 ^{nds}	Standard Rim	Tread Width Inches	Overall Diameter Inches	Max Load (lbs)	Max Air Pressure (PSI)	Weight (lbs)
187000283	GRD0148	00608518045112	155R12	81	Q		8.5	4.5B	6.18	21.77	1071	50	16

GOODRIDE®



An all-season, comfortable ride tire designed for highway applications.

Features and Benefits:

- Asymmetric tread design provides various functions in different parts and enables a quieter ride
- 35,000 mile warranty



SU317

Product Code	Item Number	UPC	Size	Load Index	Speed Rating	UTQG	Tread Depth 32 ^{nds}	Standard Rim	Tread Width Inches	Overall Diameter Inches	Max Load (lbs)	Max Air Pressure (PSI)	Weight (lbs)
187000292	GRD0185	06927116197636	P215/70R16	100	T	600AA	11.4	6.5J	8.46	27.84	1763	44	27.32
187000293	GRD0186	06927116197629	P225/70R16	103	T	600AA	11.4	6.5J	8.86	28.4	1928	44	28.92
187000294	GRD0139	06927116197612	P235/70R16	106	H	450AA	11.8	7.0J	9.25	28.96	2093	44	32.61
187000295	GRD0187	06927116197605	P245/70R16	107	T	600AA	12.4	7.0J	10.1	30.6	2148.9	44	32.24
187000284	GRD0188	06927116197582	P265/70R16	112	T	600AA	12.4	8.0J	11.1	31.8	2468.48	44	37.48
187000285	GRD0137	06927116197568	P225/65R17	102	H	450AA	11.1	6.5J	8.86	28.52	1873	44	33.14
187000286	GRD0138	06927116197551	P235/65R17	104	H	450AA	11.8	7.0J	9.25	29.02	1983	44	34.28
187000287	GRD0189	06927116197544	P245/65R17	107	T	600AA	12.4	7.0J	9.65	29.54	2148	44	33.07



GOODRIDE®

An all-season tread design with increased tread life. Zig-zag grooves offer enhanced traction in rain and snow with large shoulder blocks providing strength and stiffness for outstanding cornering.

Features and Benefits:

- Double ply casing construction handles heavy loads at highway speed and delivers outstanding durability
- Double steel belt plies and double full jointless nylon cap plies improve handling stability and durability
- Wide circumferential grooves help to evacuate water quickly and efficiently
- 35,000 mile warranty



SL309

Product Code	Item Number	UPC	Size	Load Range	Load Index	Speed Rating	Tread Depth 32 ^{nds}	Std. Rim	Tread Width Inches	Overall Diameter Inches	Max Load Single/Dual (lbs)	Max Air Pressure (PSI)	Weight (lbs)
187000217	GRD0062	00063821504465	LT225/75R16	E	112	Q	12	6.0J	8.86	29.3	2468/2469	80	38.21
187000186	GRD0067	00063851504465	LT245/75R16	E	116	Q	13.2	7.0J	9.65	30.48	2777	80	43.08
187000187	GRD0068	00063861504465	LT265/75R16	E	120	Q	13.2	7.5J	10.43	31.64	3085	80	48.17
187000221	GRD0061	00063811504465	LT215/85R16	E	112	Q	11.3	6.0J	8.46	30.38	2468/2469	80	37.59
187000215	GRD0063	00063841504465	LT235/85R16	E	116	Q	13.2	6.5J	9.25	31.72	2777/2778	80	44.51
187000302	GRD0197	06927116192310	LT245/70R17	E	116	Q	12.5	7.0J	9.65	30.52	2998/2756	80	48.50
187000304	GRD0141	00064961504465	LT265/70R17	E	118	Q	14.9	8.0J	10.43	31.6	2909	80	52.89
187000303	GRD0198	06927116192334	LT245/75R17	E	118	Q	12.5	7.0J	9.65	31.48	3197/2910	80	48.50
187000301	GRD0200	06927116192341	LT235/80R17	E	117	Q	12.5	8.5J	9.25	31.8	3086/2833	80	48.5
187000306	GRD0142	00064971504465	LT275/65R18	D	120	Q	14.7	8.0J	10.83	32.08	3085	80	48.17

**NEW
2014**

GOODRIDE®



A tire designed for multiple uses with increased surface area and zig-zag blocks to increase traction and stability in on and off-road applications.

Features and Benefits:

- Wide tread and multi-stepped grooves increase surface area of tread to enhance traction on both on and off roads
- Zig-zag grooves offers efficient water drainage and enhanced traction on wet roads
- Large tread blocks help enhanced stability and handling with less noise on the highway
- Aggressive sidewall protectors increase off road bite and prevent damage from sidewall cuts and abrasions
- 35,000 mile warranty



Braking



Mileage



Wet Traction



On & Off

SL369

Product Code	Item Number	UPC	Size	Load Range	Load Index	Speed Rating	Tread Depth 32 ^{nds}	Std. Rim	Tread Width Inches	Overall Diameter Inches	Max Load Single/Dual (lbs)	Max Air Pressure (PSI)	Weight (lbs)
187000241	GRD0128	00063791804576	31X10.50R15	C	109	Q	16.32	8.5J	10.6	31.1	2270	50	41.98
187000297	GRD0131	00063831804576	LT235/75R15	C	101	Q	15.02	6.5J	9.25	28.88	1818		36.31
187000239	GRD0127	00063851504576	LT245/75R16	E	116	Q	16.32	7.0J	9.65	30.48	2777	79	48.19
187000300	GRD0135	00063861504576	LT265/75R16	E	120	Q	16.32	7.5J	10.43	31.64	3085	79	41.50
187000308	GRD0171	06927116192051	LT285/75R16	D	119	Q	16.71	8.0J	11.22	32.84	2997	65	48.17
187000240	GRD0129	00063841504576	LT235/85R16	E	116	Q	16.32	6.5J	9.25	31.72	2777	79	45.94
187000310	GRD0172	06927116192167	LT245/70R17	E	116	Q	16.32	7.0J	9.65	30.52	2755	79	51.50
187000312	GRD0173	06927116192105	LT265/70R17	E	118	Q	16.32	8.0J	10.43	31.6	2909	79	52.78
187000313	GRD0174	06927116192075	LT285/70R17	D	118	Q	16.71	8.5J	11.22	32.7	2909	65	51.50
187000311	GRD0175	06927116192143	LT245/75R17	E	118	Q	16.32	7.0J	9.65	31.48	2909	79	51.50
187000309	GRD0176	06927116192198	LT235/80R17	E	117	Q	16.32	8.5J	9.25	31.8	2832	79	51.50
187000314	GRD0177	06927116192082	LT275/65R18	E	120	Q	16.71	8.0J	10.83	32.08	3085	79	48.59

**NEW
2014**



GOODRIDE LIMITED FREE REPLACEMENT WARRANTY

Hangzhou Zhongce Rubber Co., Ltd. Warrants to the original purchaser that every new passenger or light truck tire bearing the brand "GOODRIDE" will be free from defects in materials and workmanship. This warranty is limited to FIVE (5) years from the original date of manufacture. Any tire adjusted utilizing this limited free replacement warranty will be replaced at no charge if the tire fails during the first 2/32nds of an inch of original tread depth, due to a defect in materials and/or workmanship. This warranty is limited to the replacement usable original tread depth, which is the original tread depth reduced by the Tread Wearing Index (TWI) depth.

TERMS & CONDITIONS

1. Vehicle on which they were mounted and are not assignable to subsequent purchases or vehicles. Original receipt must accompany all claims.
2. All passenger or light truck tire warranties are limited to the original purchaser and the original Hangzhou Zhongce Rubber Co., Ltd. Warrants that every new passenger or light truck tire with the brand "GOODRIDE" sold by Hangzhou Zhongce Rubber Co., Ltd. In the United States will be free of defects in workmanship and/or materials.
3. The cost of mounting, balancing and any other charges by the dealer in connection with the replacement of the tire are required to be paid by the purchaser. The purchaser is also required to pay all applicable Federal, State/Provincial and local taxes.

WHAT IS NOT COVERED

Exclusions this limited warranty does not apply to tire failures from:

- Road Hazards (i.e. punctures, snag, cut, impact brakes, etc.)
- Improper inflation
- Wreck
- Collision
- Claims for ozone or weather cracks during original tread life on tires more than 3 years from date of manufacture
- Mechanical defects (such as brakes, shocks, worn steering and/or suspension parts, rim, etc.)
- Theft
- Fire
- Willful abuse
- Vandalism
- Overload
- Use of improper rim
- Improper mounting/dismounting
- Chemical contamination
- Misuse/Misapplication

Nor does this limited warranty apply to any passenger or light truck tires:

- With the serial # buffed or cut
- Marked blemish or NA (No Adjustment)
- Purchased or used outside the United States
- With remaining tread in any groove equal or less than Tread Wearing Index (TWI) depth
- With a ride complaint that occurs after the first 2/32nds of tread wear
- Retreaded with less than TWI depth of an inch of tread